## TEMPORARY

Serial No. 54913-T

## APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

ate of filing in State Engineer's	Office JUN			
eturned to applicant for correct	tion			·
orrected application filed		N	Map filed 10/22/86	under 50304
The applicantBa	arrick Goldstri	ke Mines, I	nc.	
P. O. Box 29		of	E1ko City or Town	
Street and No. or P.0 Nevada 89801	O. Box No.	hereb	City or Town y make application for	permission to change the
Point of Diversion a				
water heretofore appropriated	under	Permit 5107	71	
ntify right in Decree.				
i		••••		1 .
. The source of water is		Underground	1	
. TTL	Na 	ame of stream, lake, u 1.00 cfs	nderground spring or other source.	
. The amount of water to be c	nanged	Second feet, acre feet.		ons per minute.
The water to be used for	Irrigation was	Mining, Mil	lling & Dewatering	ind of animals
The service beautiful assumite	ted for	Mining, Musclai,	lling & Dewatering	mu of ammais.
. The water heretolore permitt	Irrigatio	n, nower mining, ind	ustrial, etc. If for stock state number	r and kind of animals.
The water heretofore permits.	Irrigatio  it the following point.	SEŁ SWŁ od	f Section 19, T36N	, R50E, MDB&M., at
The water is to be diverted a a point from which t	at the following point. the SW corner of	$SE\frac{1}{4}$ $SW\frac{1}{2}$ of Describe as f Section 30	F Section 19, T36N being within a 40-acre subdivision	, R50E, MDB&M., at of public survey and by course and
a point from which t	at the following point.  the SW corner of veyed land, it should be stated	SE 3 SW 2 of Describe as f Section 3	f Section 19, T36N being within a 40-acre subdivision 0, T36N, R50E, MDB	, R50E, MDB&M., at of public survey and by course and &M., bears S 19° 5
a point from which t distance to a section corner. If on unsur 25" W, 6583.54 feet.	the SW corner of veyed land, it should be stated	SE¼ SW¼ of Describe as f Section 3	f Section 19, T36N being within a 40-acre subdivision 0, T36N, R50E, MDB  SW4 of Section 19	, R50E, MDB&M., at of public survey and by course and &M., bears S 19° 5
a point from which to distance to a section corner. If on unsur 25" W, 6583.54 feet.  The existing permitted point	the SW corner of veyed land, it should be stated	SE 4 SW 2 01  Describe as  f Section 30  .  ed within SE 2	f Section 19, T36N being within a 40-acre subdivision 0, T36N, R50E, MDB  SWa of Section 19 If point of diversion is not char	, R50E, MDB&M., at of public survey and by course and &M., bears S 19° 5
a point from which t distance to a section corner. If on unsur 25" W, 6583.54 feet.  The existing permitted point at a point from which	the SW corner of veyed land, it should be stated of diversion is located the SE corner	SE¼ SW½ of Describe as  f Section 30  ded within SE¼  r of said Section SE¼	f Section 19, T36N being within a 40-acre subdivision 0, T36N, R50E, MDB  SWa of Section 19 If point of diversion is not char ection 19 bears S	, R50E, MDB&M., at of public survey and by course and &M., bears S 19° 5.  , T36N, R50E, MDB& aged, do not answer.
a point from which t distance to a section corner. If on unsur 25" W, 6583.54 feet.  The existing permitted point at a point from which the feet.	at the following point.  the SW corner of veyed land, it should be stated.  of diversion is locate that the SE corner.	SE SW SW OF Describe as f Section 30	f Section 19, T36N being within a 40-acre subdivision 0, T36N, R50E, MDB  SW1 of Section 19 If point of diversion is not char ection 19 bears S	, R50E, MDB&M., at of public survey and by course and &M., bears S 19° 5, more survey.  , T36N, R50E, MDB&M., at the survey and by course and &M., bears S 19° 5, more survey.
a point from which t distance to a section corner. If on unsur 25" W, 6583.54 feet.  The existing permitted point at a point from which the feet.  Proposed place of use	the SW corner of veyed land, it should be stated of diversion is located the SE corner of t	SEE ATTACHI	ED	, R50E, MDB&M., at of public survey and by course and &M., bears S 19° 5, T36N, R50E, MDB&Red, do not answer.  66°43'27" E, 3211.
a point from which to distance to a section corner. If on unsure 25" W, 6583.54 feet.  The existing permitted point at a point from which the feet.  Proposed place of use	the SW corner of veyed land, it should be stated of diversion is located the SE corner of Describe by leg	SEE ATTACHI	f Section 19, T36N being within a 40-acre subdivision 0, T36N, R50E, MDB  SW1 of Section 19 If point of diversion is not char ection 19 bears S	, R50E, MDB&M., at of public survey and by course and &M., bears S 19° 5.  , T36N, R50E, MDB& nged, do not answer. 66°43'27" E, 3211.
a point from which to distance to a section corner. If on unsure 25" W, 6583.54 feet.  The existing permitted point at a point from which the feet.  Proposed place of use	the SW corner of veyed land, it should be stated of diversion is located the SE corner Describe by leg	SEE ATTACHI	F Section 19, T36N being within a 40-acre subdivision 0, T36N, R50E, MDB  SWa of Section 19 If point of diversion is not char ection 19 bears S  ED irrigation state number of acres to be	, R50E, MDB&M., at of public survey and by course and &M., bears S 19° 5, T36N, R50E, MDB&Rged, do not answer.  66°43'27" E, 3211.
a point from which to distance to a section corner. If on unsure 25" W, 6583.54 feet.  The existing permitted point at a point from which feet.  Proposed place of use	the SW corner of veyed land, it should be stated of diversion is located that the SE corner Describe by legs.  Describe by legs subdivision ribe acreage to be removed from the SE corner of the secreage to be removed from t	SEE ATTACHI  SEE A	E Section 19, T36N being within a 40-acre subdivision 0, T36N, R50E, MDB  SW1 of Section 19 If point of diversion is not char ection 19 bears S  ED irrigation state number of acres to b	, R50E, MDB&M., at of public survey and by course and &M., bears S 19° 5.  , T36N, R50E, MDB& nged, do not answer.  66°43'27" E, 3211.
a point from which to distance to a section corner. If on unsure 25" W, 6583.54 feet.  The existing permitted point at a point from which feet.  Proposed place of use	the SW corner of veyed land, it should be stated of diversion is located the SE corner Describe by legal subdivision ribe acreage to be removed from	SEE ATTACHI al subdivisions. If for irrigation.	ED  Section 19, T36N being within a 40-acre subdivision  T36N, R50E, MDB  SWa of Section 19 If point of diversion is not char ection 19 bears S  ED irrigation state number of acres to be  ED gation, state number of acres irrigat	, R50E, MDB&M., at of public survey and by course and &M., bears S 19° 5, T36N, R50E, MDB&Rged, do not answer. 66°43'27" E, 3211.
a point from which to distance to a section corner. If on unsure 25" W, 6583.54 feet.  The existing permitted point at a point from whice feet.  Proposed place of use	the SW corner of veyed land, it should be stated of diversion is located that the SE corner Describe by legal subdivision ribe acreage to be removed from January 1 Month and Day	SEE ATTACHI al subdivisions. If for irrigation.	ED  ED  gation, state number of acres irrigate  December 31  Month and Day	, R50E, MDB&M., at of public survey and by course and &M., bears S 19° 5.  , T36N, R50E, MDB& nged, do not answer.  66°43'27" E, 3211.
a point from which t distance to a section corner. If on unsur 25" W, 6583.54 feet.  The existing permitted point at a point from which feet.  Proposed place of use	Describe by legal subdivision  The acreage to be removed from January 1  Month and Day  January 1  Month and Day  January 1  Month and Day	SEE ATTACHI al subdivisions. If for irrigation.	ED  Section 19, T36N being within a 40-acre subdivision O, T36N, R50E, MDB  SWa of Section 19 If point of diversion is not charection 19 bears S  ED irrigation state number of acres to be section state number of acres irrigated by the section o	, R50E, MDB&M., at of public survey and by course and &M., bears S 19° 5  , T36N, R50E, MDB& aged, do not answer. 66°43'27" E, 3211.
a point from which t distance to a section corner. If on unsur 25" W, 6583.54 feet.  The existing permitted point at a point from which feet.  Proposed place of use	Describe by legal subdivision  Tibe acreage to be removed from the acreage to be removed from January 1  Month and Day  rks. (Under the proving the removed from the proving the second from the s	SEE ATTACHI SEE ATTACHI SEE ATTACHI SI permit is for irrigation.	ED  irrigation state number of acres to be state number of acres irrigate December 31  Month and Day  December 31  Month and Day  Month and Day  Most Section 19  Month and Day  December 31  Month and Day  December 31  Month and Day  December 31  Month and Day	, R50E, MDB&M., at of public survey and by course and &M., bears S 19° 5.  , T36N, R50E, MDB& nged, do not answer.  66°43'27" E, 3211.  be irrigated.  cirrigated.  of each year.  ired to submit plans and
a point from which to distance to a section corner. If on unsur 25" W, 6583.54 feet.  The existing permitted point at a point from which feet.  Proposed place of use	Describe by legal subdivision  The acreage to be removed from the acreage to be removed from the subdivision of the subdivision	SEE ATTACHI al subdivisions. If for irrigation.  SEE ATTACHI al subdivisions of NRS 5  Well, Pipe	ED  ED  gation, state number of acres irrigate  December 31  Month and Day  December 31	, R50E, MDB&M., at of public survey and by course and &M., bears S 19° 5  , T36N, R50E, MDB& aged, do not answer. 66°43'27" E, 3211.  De irrigated.

14.	Estimated time required to complete the application of water to beneficial use 1 year	
15.	Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:	
	Annual consumptive use will be 235,905,048.0 gallons. This application is for a Temporary Permit.	
	HIGH DESERT Engineering, Agent	
	By s/Robert E. Morley Robert E. Morley	
Con	npared bp/se bp/se 515 South Fifth Street Elko, Nevada 89801	
Prot	ested	
	APPROVAL OF STATE ENGINEER	
	This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the	
of subjunde here instaccumete compmain Statof to pholdissu deward and the (CON The	wing limitations and conditions: This temporary permit to change the point of diversion and place of use of a post the waters of an underground source as heretofore granted under Permit 51071 is is ext to the terms and conditions imposed in said Permit 51071 and with restanding that no other rights on the source will be affected by the change propin. The well shall be equipped with a 2-inch opening and a totalizing meter musualled and maintained in the discharge pipeline near the point of diversion rate measurements must be kept of water placed to beneficial use. The total remust be installed before any use of the water begins or before the production of work is filed. If the well is flowing, a valve must be installed tained to prevent waste. This source is located within an area designated by the Engineer pursuant to NRS 534.030. The State retains the right to regulate the water herein granted at any and all times.  This temporary permit does not extend the permittee the right of ingress and expected private or corporate lands.  The issuance of this temporary permit does not waive the requirements that the permit obtain other permits from State, Federal and local agencies and is specificated contingent upon approval by the Nevada Division of Environmental Protection of terring project.  This temporary permit is issued pursuant to the provisions of NRS 533.345 Sectivall expire on June 20, 1991 at which time all rights herein granted shall reversible being changed by this temporary permit.  TINUED ON PAGE 2) amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to	the cose of the co
	ed 1.0 cubic feet per second , but not to exceed 235.906 mill	ion
	llons annually.	
Worl	k must be prosecuted with reasonable diligence and be completed on or before	
	f of completion of work shall be filed before	
Appl	f of the application of water to beneficial use shall be filed on or before	
Proo	f of the application of water to beneficial use shall be filed on or before.	
Мар	in support of proof of beneficial use shall be filed on or before	
Comp	oletion of work filed	ᅸ.
Proof	of beneficial use filed	
Cultu	of beneficial use filed	
Certif	icate No. Issued DEC 5 1990 Mekan See PE.	
42)	State Engineer State Facilities	

(O)-1108 (Rev. 6-81

PAGE 2 54913-T

## (PERMIT TERMS CONTINUED)

This temporary permit is issued subject to the water management plan and water management plan addendum among Barrick Goldstrike Mines, Inc.; Newmont Gold Company; and T S Ranch Joint Venture dated May 1, 1989.

This temporary permit will allow for the dewatering of the pit area. Any water obtained as a result of this dewatering operation shall be used first by the permittee for mining, milling, heap leaching, drilling, road watering and other related mining and milling uses herein after referred to as mining and milling uses within the described place of use on this permit and by Newmont Gold Company for the same purposes stated above at what is known as the No. 4 Mill.

Any water not used for mining and milling purposes shall be utilized by the T S Ranch on land for irrigation use presently described under the place of use under Permits 16951, Certificate 5605; 16952, Certificate 5606; 28966, Certificate 10226; 28967, Certificate 10227; 29952, Certificate 10043; 29953, Certificate 10044; 30240, Certificate 10046; 30241, Certificate 10047; 30242, Certificate 10048; 30253, Certificate 10229; 30849, Certificate 10057; 31288, 31289, 34766, 34767, 34768, 34769, 34770, 34771, 34772, 34773, 36020, 36021, 36022, 36023, 36024, 52941, 52942, 52943, 52944, 52945, 52946, 52947, 52948, 52949 and 52950 or any subsequent changes of the place of use of these rights. The intent in the interests of the best and most efficient management of the resource is to substitute water from dewatering of the pit area for water presently authorized to be withdrawn from the Boulder Flat Groundwater Basin under the above described permits.

This water will be stored in a storage reservoir for use on the lands of the T S Ranch. The construction of this storage reservoir will require that the parties of the plan obtain all of the necessary permits for such construction. This storage reservoir shall be constructed prior to the time that the volume of water from the dewatering project exceeds the volume of water required for mining and milling purposes for both the permittee and Newmont's No. 4 Mill.

Any water from this dewatering operation shall not be discharged to any natural drainages or man-made drainages.

The parties to the water management plan mentioned above shall submit a monitoring plan to the State Engineer within three months after the issuance of this permit. This plan must address all aspects of potential impacts resulting from the dewatering of the pit area. The State Engineer retains the right to require the parties of the plan to cooperate in the funding of a hydrology study to be conducted by an independent third party.

The State Engineer retains the right to regulate the pumping from the dewatering project and/or any other groundwater withdrawals herein authorized to protect the public interest and existing rights.

A monthly report shall be submitted to the State Engineer within 10 days from the end of the month which shall include the amount pumped from each well and the amount used for each mining and milling purpose.

The total combined duty of water under Permits 37985, Certificate 10592; 45951; 50304; 50305; 50306; 50307; 50834; 51071; 51531; 51740; 51741; 51742; 51743; 51744; 52032; 52033; 53401; 53403; 54371-T; 54372-T; 54373-T; 54449-T; 54450-T; 54913-T; 54914-T; 54915-T; 54916-T; 54917-T; 54918-T; 54919-T; 54920-T; 54921-T 54922-T and 54923-T shall not exceed 2238 million gallons annually for mining and milling purposes.

· . .

•

.

i e

PROPOSED PLACE OF USE: SE% SW%, NE% SE%, S% SE% Section 12; All of Section 13; SW% SW%, NE% NE%, S% NE%, SE% Section 14; NW% SE%, S% SE% Section 15; SE% NW%, N% SE%, NE% Section 22; W% NW%, S% SE%, N% NE%, SW% NE% Section 23; All of Sections 24, 25 & 26, T 36 N, R 49 E, MDB & M., S% SE%, SW% Section 7; S% S% Section 8; All of Sections 17, 18, 19 & 20; S% NW% Section 28; N% Section 29; SE% SE%, W% E%, W% Section 30, T 36 N, R 50 E, MDB & M.

EXISTING PLACE OF USE: SE% Section 13; SE% NE%, SE%, E% SW% Section 23; All of Section 24; E% Section 25; All of Section 26; E% E% Section 27; NE% NE% Section 34; N% N% Section 35, T 36 N, R 49 E, MDB & M., All of Section 18, 19 & 20; S% NW% Section 28; W% SW%, N% Section 29; All of Section 30, T 36 N, R 50 E, MDB & M.

. . . .